



**April 2026 Release Edition**

# **athenaOne**

# **Technical**

# **Requirements**

**Published: April 29, 2026**

## Contents

1 To Access athenaOne .....	3
Additional Browser Support Details .....	3
2 Hardware Requirements .....	4
Windows.....	4
Mac .....	5
Virtualization.....	5
3 Network Recommendations .....	6
4 Faxing.....	8
Recommendations .....	8
Fax Machine Minimum Specification Requirements.....	8
Faxing Over IP .....	9
5 Devices .....	9
Browser Appendix .....	9

# 1 To Access athenaOne

athenaOne is a cloud-based application. As such, athenaOne can be accessed through several commercially available web browsers. Our goal is to provide customers with the best HIPAA-compliant experience over the modern web.

**Please note this matrix only reflects athenaOne, not any other services.** As of the publication date of this document, here is our browser support matrix:

	Chrome (64-bit)	Microsoft Edge (64-bit)	Safari
<b>Windows PCs &amp; Tablets</b> Windows 11	Supported	Supported	Not Supported
<b>Mac</b> macOS	Supported	Supported	Supported
<b>iPhones</b> iOS Limited Support provided via the athenaOne Mobile App	Not Supported	Not Supported	Limited support provided via the athenaOne Mobile App.
<b>iPads</b> iPadOS Limited Support provided via the athenaOne Mobile App	Not Supported	Not Supported	Limited
<b>Android Phones &amp; Tablets</b> Limited Support provided via the athenaOne Mobile App	Limited support provided via the athenaOne Mobile App.	Not Supported	Not Supported
<b>Chromebooks</b> ChromeOS	Limited	Limited	Not Supported

**Supported.** Supported solutions are tested against all new and existing athenaOne workflows for all new versions of those browsers. Bugs identified with these browsers will be triaged in a timely manner.

**Not Supported.** athenaOne will block unsupported browsers, but may not block all such browsers, particularly in the cases where a user may intentionally alter the user-agent. A lack of blocking should not be construed as support.

**Limited.** Some athena workflows may not work as expected. In a triage situation athena may ask to have the problem replicated on a supported platform.

---

**NOTE: The “limited” support descriptions here apply to the athenaOne application only, and not other mobile applications athenahealth may offer such as Epocrates and the athenaOne App.**

---

## Additional Browser Support Details

- Full support is provided for the last 6 major stable release versions of Chrome or Edge browsers, and the last 6 minor stable release versions of the latest major version of Safari.

- The Reimagined athenaTelehealth Experience has Zoom dependencies which only support the current and past 2 web browser versions. Keeping your browser updated helps avoid potential issues.
- 32-bit browsers are not supported for use with athenaOne due to memory utilization limitations, potential performance issues, and compatibility constraints with modern web content.
- Support for Windows in Surface/Tablet or Metro Modes is considered Limited.
- NOTE: The athena device integration module for integrating physical devices like card readers and select medical devices is not currently supported beyond Windows PC. Windows Parallels are not supported. Additional information regarding athenaOne Device Manager (ADM) can be found on the Success Community: <https://success.athenahealth.com/s/article/000093185>
- For a detailed list of browser settings required and a statement regarding the use of browser extensions, please see the **Browser Appendix**.

## 2 Hardware Requirements

For the best user experience, our application requires the following hardware specifications:

### Windows

#### Recommended:

- **Processor:** Modern quad-core processor released within the last 3-5 years  
(e.g., Intel Core i5 11th Gen or newer, AMD Ryzen 5 5000 series or newer)
- **Memory:** 16 GB+ RAM strongly recommended (DDR4 or newer)
- **Storage:** SSD with at least 10 GB free space
- **Display:** Monitor with 1920×1080 resolution or higher
- **Operating System:** Windows 11

#### Minimum:

- **Processor:** Quad-core CPU with 2.0 GHz base clock speed or higher
- **Memory:** 8 GB RAM
- **Storage:** 10 GB free hard drive space
- **Display:** Monitor with 1920×1080 resolution or higher
- **Operating System:** Windows 11 with latest updates

#### Additional Notes:

- Windows Tablet mode is not supported. External keyboard and mouse may be required for some models.
- Touchscreen capability is supported for use with your finger. The use of a stylus is not supported.

- At this time, athenaOne Device Manager (ADM) and all athenaOne supported software only have confirmed compatibility with AMD and Intel x86 based architecture on supported operating systems. Performance cannot be guaranteed with ARM-based Windows processors.

## Mac

### Recommended:

- **Processor:** Apple M-series (2020 MacBook or newer)
- **Memory:** 8 GB RAM or more
- **Storage:** SSD with at least 10 GB free space
- **Display:** Monitor with 1920×1080 resolution or higher (22"+ recommended)
- **Operating System:** macOS 14 Sonoma or newer (current version: macOS 26 Tahoe)

### Minimum:

- **Processor:** Intel dual-core CPU with 2.0 GHz clock speed or higher (e.g., 2017 MacBook Pro or equivalent)
- **Memory:** 8 GB RAM
- **Storage:** 10 GB free hard drive space
- **Display:** Monitor with 1920×1080 resolution
- **Operating System:** macOS 14 Sonoma

### Additional Notes:

- athenaOne Device Manager (ADM) is not supported on Mac.
- Please note that some but not all Intel-based Macs are still supported through macOS 26 Tahoe; <https://www.apple.com/os/macos/>. Apple Silicon (M-series) strongly recommended for best performance and future compatibility.

## Virtualization

There are some risks and limitations to utilizing virtualization with athenaOne, including:

- Insufficient workstation resourcing/networking bottlenecks
- Device connectivity/passthrough complexity
- athenaOne Device Manager (ADM) functionality and stability
- Support and issue troubleshooting complexity

Should a performance or other issue occur in athenaOne for a user in a virtual environment that is not replicable on a thick client, we will be unable to offer support beyond identification of the issue as related to the virtual environment. You should connect with the vendor of your virtualization solution for support in these instances.

## 3 Network Recommendations

Connections to athenaOne consist of high-volume, trusted network transactions that perform best with low latency and short network routing. athenahealth strongly recommends prioritizing athenaOne-related traffic within your network to allocate consistent bandwidth during peak usage for reliable communication with minimal delays or interruption.

- 1Mbps up and down per user
  - This is specific to athenaOne traffic only.
- 120ms round-trip time
  - The total time for your data to travel to our servers and back.
- Direct internet access for athenaOne
  - Keep it simple; athenaOne runs best without complex internal network configurations.
  - Disable any deep packet or SSL inspections for all athena data traffic components.
  - Only U.S.-based IP addresses are permitted to access athenaOne.
    - If utilizing a VPN it must have a U.S.-based IP address.
- Backup Internet Service Provider (ISP)
  - Keeps you connected if your primary ISP goes down.

For complete athenaOne functionality, allow the following wildcard domains and IP ranges through TCP ports 443 and through any web proxies, firewalls or related infrastructure:

- **athenaOne:**
  - \*.athenahealth.com
  - \*.athena.io
  - \*.athenahealth.withpersona.com
  - \*.printing.athena.io
  - secure.athenahealthpayment.com
  - \*.api.smartystreets.com
  - browser-intake-datadoghq.com
  - \*.pendo.io
  - \*.amplitude.com
  - \*.visualstudio.com

- **Email IP Addresses & Ranges:**

Relevant IP addresses are listed under the '**North America**' section and may be updated at any time by the email vendor: <https://www.qualtrics.com/support/getting-started-qualtrics/allowlisting-external-domains-for-qualtrics-use/>

- 54.240.80.239
- 54.240.80.240

- 76.223.138.180
- 76.223.138.181
- 76.223.145.243
- 76.223.145.244
- 98.97.248.0/21
- 162.247.216.0/22
- **athenaTelehealth:**
  - \*.chime.aws
  - \*.amazonaws.com
  - \*.launchdarkly.com
  - \*.googleapis.com
  - \*.gstatic.com
  - \*.zoom.us and \*.zoom.com
    - TCP ports 8801 and 8802
    - UDP ports 3478, 3479 and 8801-8810
- **Enhanced Diagnosis:**
  - \*.imohealth.com
  - \*e-imo.com
- **Epocrates:**
  - \*.epocrates.com
  - \*.atext.epocrates.com
- **eLearning:**
  - \*.kenexa.com
  - \*.csod.com
  - \*.akamai.com
- **Ingenico Credit Card Devices:**
  - Network administrators are strongly urged to use DNS-based filtering for their firewall policies due to the potential for IP addresses to change. However, certain setups are not compatible with DNS filtering. For such networks, athenahealth recommends allowlisting communication through the following port groupings:

<b>Ports</b>	7000, 6423, 7500, 443, 450*
<b>Domain Names</b> <i>(Recommended)</i>	fuseboxtrant.elavon.net termmgt.elavon.com termupdate.elavon.net
<b>Elavon Developer Portal &amp; IP Range Sections to Include</b>	<a href="https://developer.elavon.com/products/fusebox/v1/elavon-ips">https://developer.elavon.com/products/fusebox/v1/elavon-ips</a> Relevant IP ranges can be found under the following headings: <b>IP addresses to Allow</b> – Elavon/US Bank-owned addresses <b>Fusebox Switch</b> <b>Ingenico Estate Manager Simplify</b>

*\*Port 450 only needs to be included in the port groupings if utilizing Ingenico iPP320 model devices.*

- Information related to supplementary antivirus configurations can be found on the Success Community. Access to the Success Community is made available only to athenahealth customers.

## 4 Faxing

### **Outbound (sent out from athenaOne):**

Outbound faxes are managed via athenaOne and do not require additional phone lines or fax servers.

### **Inbound (sent into athenaOne):**

For contracts that include Document Services, athenahealth will process (categorize, extract data from and link to patients) all inbound documents sent via fax from external third parties to athenaFax toll-free numbers. athenahealth will not process internal non-barcoded faxes (faxes sent into athenaOne from the customer). We determine internal vs. external faxes based on Caller ID and Remote ID. For this reason, all documents faxed internally to athenaFax 800 numbers must be sent with a Caller ID and Remote ID configured for that fax source. If working with an e-fax vendor or PBX solution, the originating fax number and Remote ID (also referred to as a TSID or CSID) must be maintained during transmission. You can choose to forward your local fax numbers to your assigned toll-free athenaFax numbers, or publish the toll-free fax numbers and have business partners fax directly to them for document processing.

## Recommendations

- Publish toll-free numbers instead of forwarding due to reduced technical complexity and cost benefits
- If using a forward, the ANI (originating fax number) is required. We recommend remote call forwarding (RCF) or setting up the forward at the telecom-company level, as opposed to local call forwarding (LCF) with your machine due to technical complexity
- IP-based solutions such as VoIP and FoIP by their nature have a higher potential for transmission failure rate. Because of this, while they can be used, we don't recommend that you use them.
- To minimize busy signals, instruct your telecom provider to setup the forward with a minimum of three paths per FTE provider using the fax line.

## Fax Machine Minimum Specification Requirements

- Minimum memory of 8.0 MB
- Super G3-capable
- Dual scan capability (ability to queue outbound fax jobs while receiving fax transmissions)
- Error Correction Mode (ECM) enabled
- Transmission retry setting enabled
- Configured to print transmission report after each fax
- Fax resolution configured for minimum 200x200 DPI

- Fax Batching mode disabled
- Disable any enhanced G4 settings (relevant to newer fax machines)

## Faxing Over IP

If you plan to forward your fax lines and utilize a Fax over IP (FoIP) solution, this will work with athenaFax, but please note the following:

- Use the G.711 protocol when using IP-based solutions such as SIP
- Longer documents are more prone to failure
- athenaFax supports any baud rate (speed of transmission), but faster is better
- As with analog fax lines, we recommend forwarding at the telecom provider level, and that the originating fax number and Remote ID are passed through

## 5 Devices

athenahealth offers free, seamless athenaOne integrations with a selection of medical and non-medical devices that are integral to your organization's success, and we provide an ecosystem of additional paid integration options through partnerships with leading device manufacturers and aggregators.

Our device catalog, [https://www.athenahealth.com/sites/default/files/media\\_docs/Device-Integration-Menu.pdf](https://www.athenahealth.com/sites/default/files/media_docs/Device-Integration-Menu.pdf), provides a comprehensive list of devices that integrate with athenaOne, either directly through athenaOne Device Manager (“ADM”, included with athenaOne Base), in collaboration with our Marketplace partners, or using HL7 interfaces with select third-party vendors.

---

**NOTE: athenaOne Device Manager (ADM) is supported only on the Windows Operating System (OS). The devices in the catalog that are integrated through ADM are compatible with athenaOne only computers and laptops running the Windows OS.**

---

## Browser Appendix

Chrome and Edge, both supported for use with athenaOne, boast extensive extension marketplaces, housing thousands of add-on extensions catering to diverse user needs. Some browser extensions may also negatively impact the stability and performance of your browser environment as well as have a direct and negative impact on athenaOne performance. The use of browser extensions may also create an opportunity for cyber vandals to obtain information from athenaOne and other sources including protected health information (PHI), payment information, or passwords.

Before deploying an extension across your organization, athena strongly advises that you test your browser configuration performance against a small population of users to ensure that athenaOne performance is not negatively impacted. If you contact athena requesting an investigation into athenaOne performance, your catalog of installed browser extensions will be reviewed, and you may receive a request to temporarily uninstall one or more extensions as part of the diagnostic process.

Browser Settings	Supported Value
Allow pop-ups	On
Auto-fill forms	Off
Save passwords	Off

Group Policy Settings	Supported Value
Auto-fill forms	Off
Save passwords	Off
Allow pop-ups for the following sites: <a href="https://[*].athenahealth.com">https://[*].athenahealth.com</a> <a href="https://[*].athena.io">https://[*].athena.io</a> <a href="https://[*].secure.athenahealthpayment.com">https://[*].secure.athenahealthpayment.com</a> <a href="https://[*].csod.com">https://[*].csod.com</a> <a href="https://[*].kenexa.com">https://[*].kenexa.com</a> <a href="https://[*].walkme.com">https://[*].walkme.com</a>	On

---

**NOTE: Group Policy settings set by your organization will supersede settings initiated by the athenaOne *Configure Your Browser* page.**

---

athenanet.athenahealth.com Site Settings	Supported Value
Apps on Device	Allowed

---

**NOTE: The 'Apps on Device' site setting is only necessary if you are intending to use the athenaOne Device Manager (ADM).**

---